


1/17

FIG. 1



2/17

FIG.2

FORWARD SETTING [] [] [X]

FILE (F) EDIT (E) DISPLAY (V) JUMP (G) COMMUNICATOR (C) HELP (H)

RETURN NEXT REREADING HOME SEARCH GUIDE PRINT SECURITY SHOP STOP

BOOKMARK JUMP <http://www.local.ff.co.jp/mail/forward/forward.html>

FORWARD SETTING

MAIL SERVER: SELECT YOUR OWN'S MAIL SERVER ← 11

MAIL ADDRESS: LEFT SIDE TO @ff.co.jp ← 12
EX.: shiba.h-nakao (INPUT IN HALF-POINT CHARACTERS)

PASSWORD: (INPUT IN HALF-POINT CHARACTERS) ← 13

14 FORWARD DESTINATION ADDRESS : (LIMITED WITHIN IN-OFFICE OR AFFILIATED COMPANY)

EXAMPLE OF ENTRY
(<, > CAN BE OMITTED):
<xxx1@ff.co.jp>
<xxx2@ff.co.jp>
yyy3@ff.co.jp
zzz4@ff.co.jp

NOTICE:
ENTER IN-OFFICE OR AFFILIATED
COMPANY MAIL ADDRESS ONE BY ONE
IN LINE. MAIL ADDRESSES OTHER
THAN ABOVE (ff.co.jp:, ff2.co.jp)
ARE INVALID ← 15

☒ LEAVE ALSO IN FORWARD SOURCE
(FORWARD TO YOUR OWN'S ACCOUNT)

SET CANCEL

FIG. 3

DISPLAYING CONTENTS OF FORWARD SETTING											<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>		
FILE (F) EDIT (E) DISPLAY (V) JUMP (G) COMMUNICATOR (C) HELP (H)													
RETURN NEXT REREADING HOME SEARCH GUIDE PRINT SECURITY SHOP STOP													
BOOKMARK JUMP <input type="text" value="http://www.local.ff.co.jp/mail/forward/get-forward.html"/>													
DISPLAY CONTENTS OF FORWARD SETTING													
MAIL SERVER:		<input type="text" value="pop.ff.co.jp"/>		SELECT YOUR OWN'S MAIL SERVER		← 11							
MAIL ADDRESS:		<input type="text" value="user"/>		LEFT SIDE TO @ff.co.jp, H		PASSWORD		← 12					
EX.: shiba.h-nakao (INPUT IN HALF-POINT CHARACTERS)													
PASSWORD:		<input type="text" value="*****"/>		(INPUT IN HALF-POINT CHARACTERS)		← 13							
<input type="button" value="DISPLAY"/>				<input type="button" value="CANCEL"/>									

4/17

FIG. 4

✳ FORWARD SETTING STEPS										□ □ ×				
FILE(F) EDIT(E) DISPLAY(V) JUMP(G) COMMUNICATOR(C) HELP(H)														
RETURN NEXT REREADING HOME SEARCH GUIDE PRINT SECURITY SHOP STOP														
BOOKMARK JUMP http://www.local.ff.co.jp/mail/forward/method-forward.html														
OFF-OFFICE FORWARD SETTING STEPS														
<p>1. WHEN INPUTTING FORWARD DESTINATION ADDRESS IN THE FOLLOWING FORM, TEST MAIL IS AUTOMATICALLY SENT FROM MAIL SERVER</p> <p>2. SEND MAIL FROM IN-OFFICE MAIL ADDRESS IN FORMAT DESCRIBED HEREIN. KEYWORD 1 IS eqwqw1qe4e3w231e31dsd121. KEYWORD 2 IS DESCRIBED IN ABOVE TEST MAIL</p> <p>ADDRESS: forward-append@ff.co.jp SENDER: xxxx@ff.co.jp TITLE: forward-append TEXT: REQUEST FOR PERMISSION OF FORWARD SETTING NAME: ○ ○ ○ ○ POSITION: ○ ○ SECTION IN ○ ○ DIVISION FORWARD DESTINATION: xxx@nif.com REASON FOR FORWARDING: ○ ○ ○ ○ KEYWORD 1: xxxxxxxxxxxxxxxxxxxx KEYWORD 2: yyyyyyyyyyyyyyyyyyy LIMIT OF PERIOD: DECEMBER 31, 2001 THE ABOVE IS THE FORMAT</p> <p>3. FORWARD SETTING IS DONE HEREIN</p>														
SENDING OF TEST MAIL														
MAIL SERVER: <input type="text" value="pop.ff.co.jp"/> ▾ SELECT YOUR OWN'S MAIL SERVER ← 11														
IN-OFFICE MAIL ADDRESS: <input type="text" value="user"/> LEFT SIDE TO @ff.co.jp ← 12A														
EX.: shiba.h-nakao (INPUT IN HALF-POINT CHARACTERS)														
FORWARD DESTINATION (OFF-OFFICE) MAIL ADDRESS: <input type="text" value="zzz@xxx.com"/> (INPUT IN HALF-POINT CHARACTERS) ← 14A														
-- EX xxx@nif.com														
<table border="1" style="width: 100%;"><tr><td style="width: 50%; text-align: center;">SEND</td><td style="width: 50%; text-align: center;">CANCEL</td></tr></table>													SEND	CANCEL
SEND	CANCEL													

FIG.5

ADDRESSED TO FORWARD DESTINATION zzz@xxx.com FRPM WEB SERVER

TITLE: mail test

TEXT: fdsjfdaf4a4sgg3da2df2g1agag1f2gf1af12 <-- KEYWORD 2

20010320 <--- LIMIT OF PERIOD OF FORWARD DESTINATION ADDRESS

FIG.6

ADDRESSED TO RECEIPT ADDRESS fwcheck@ff.co.jp OF RECEIPT MAIL SERVER FROM WEB
SERVER

TITLE: forward check

SENDER: user@ff.co.jp

TEXT: forward check list

user@ff.co.jp <---- MAIL ADDRESS OF USER

zzz@xxx.com <---- MAIL ADDRESS OF FORWARD DESTINATION

fdlsffdaf4a4sgg3da2df2g1agag1f2gf1af12 <---- KEYWORD 2

20010331 <---- EFFECTIVE PERIOD OF FORWARD DESTINATION ADDRESS

20010131 <---- REPLY EFFECTIVE PERIOD

FIG.7

ADDRESSED TO forward-append@ff.co.jp FROM USER user@ff.co.jp

TITLE: forward-append

TEXT: REQUEST FOR PERMISSION OF FORWARD SETTING

NAME: TARO YAMADA

POSITION: DEVELOPMENT SECTION IN OO DEVELOPMENT DIVISION

FORWARD DESTINATION: zzz@xxx.com

REASON FOR FORWARDING: FOR 0000.

KEYWORD 1: eqwew1qe4e3w231e31dsd121

KEYWORD 2: fdsfjfdaf4a4sgg3da2df2g1agag1f2gf1af12


FORWARD DESTINATION ADDRESS EFFECTIVE PERIOD 20010331

FIG.8


name: user	# USER NAME
<u>xxx@nif.com</u> OK dahdahdashdsag4fds4df5fds4454fsd4f	20010228 # TEST PROVED
<u>yyy@ppp.com</u> NG dahdahdashdsag4fds4df5fds4454fsd4f	20010630 # TEST PROVED
<u>zzz@xxx.com</u> WT fdsfjfdaf4a4sgg3da2df2g1agag1f2gf1af12	20010131 # WAITING FOR
	MAIL

9/17


FIG. 9



10/17
FIG. 10



11/17
FIG. 11



12/17
FIG.12

ADDRESSED TO fwset@ff.co.jp FROM USER

TITLE:forward-set

TEXT:set forward list

aaa@ff.co.jp

bbb@nif.com

ccc@zzz.com

¥user

13/17

FIG.13

NAME : USER	# USER NAME
*@ff. co. jp	-
bbb@nif. com	PERMITTED TILL 20010630#2001/6/30
ccc@zzz. com	PERMITTED TILL 20010131#2001/1/31

14/17

FIG.14

ADDRESSED TO USER user@ff.co.jp FROM MAIL SERVER

TITLE:

TEXT: 13:00, DECEMBER 11, 2002

FORWARD SETTING FILE OF USER "user ESQ"
WAS CHANGED AS FOLLOWS:

aaa@ff.co.jp

bbb@nif.com

ccc@zzz.com

¥user

15/17

FIG.15

ADDRESSED TO fwget@ff.co.jp FROM USER "user"


TITLE:forward-set

TEXT:get-forward-list

user@ff.co.jp

16/17

FIG. 16



17/17
FIG.17

